


The image features a central diamond-shaped logo with a red top half and a black bottom half containing the word "RUBI" in white. The background is a collage of various power tools, including a large miter saw, a cordless drill, a reciprocating saw, a circular saw, and several clamps, all arranged on a checkered floor. The tools are primarily red and black, with some silver accents. The overall composition is dynamic and emphasizes the brand's product range.

RUBI

NEW CATALOG




The year 1951 marked a milestone in the Spanish construction industry, when the young Boada brothers invented the professional manual cutter for hydraulic mosaic. This ground-breaking tool, christened with the name of RUBI, served as the stepping stone for developing Germans Boada, S.A. Currently, this multinational company designs, manufactures and distributes best-seller equipment and tools for cutting and laying tiles.

The group headquarters are located in Rubi, near Barcelona, and the logistics and industrial center is established in Santa Oliva (Tarragona). The productive and logistics center, recently expanded to 220.000 Sqf., counts on an automated warehouse and the latest technology in order management. These facilities and resources, combined with optimal inventory management, guarantee a daily service to major markets with tight deadlines, satisfying the current needs multiple distribution channels worldwide. Its international vocation, very present since its creation, makes Germans Boada S.A. a global company with a presence in over 100 countries through an extensive network of branches and participated companies.

Since its beginnings, Germans Boada has been committed to facilitating the work of construction and tiling professionals, providing them with all the tools and machinery necessary for them to carry out their work safely, efficiently and profitably.

As a leader in the tile installation tool sector, Germans Boada is constantly developing new solutions in line with market trends and the needs of professionals. With 58 patented products, the company has established itself as a clear technological leader thanks to its firm commitment to research, innovation and design. As a result of this technological capability, RUBI's products help to define the quality standards of the market.

RUBI ALL OVER THE WORLD



PT Nara Citra was founded in 2019 which aims to become a leading benchmark in the design, manufacture and marketing of granite products, which meet customer needs and ensure equality, design and the best value for money.

In 2020 PT Nara Citra Indonesia has expanded and collaborated with RUBI, Professional manual cutter, equipment and tools for cutting and laying tiles # No.1 in the world, as the official distributor of RUBI in Indonesia (RUBITOOLS.ID).

RUBI products can be found in building material and traditional stores throughout Indonesia. Through the distribution network of PT Nara Citra Indonesia, RUBI products will be increasingly recognized and evenly distributed throughout Indonesia.

PT Nara Citra Indonesia guarantees that all products distributed are genuine and official products, and is committed to providing the best service to all customers.



TZ THE MOST VERSATILE CUTTER IN ITS CLASS


For the frequent cutting of glazed stoneware and tiles and occasional for porcelain tiles.

Product Highlight :

- Smoother and more precise head movement.
- Large cutting capacity, up to 21 mm thickness. Ideal for large formats*.
- Robust and folding structure for added strength and ease in transport.
- Powerful breaking set (up to 1.500 kg), operable with one hand.



TZ-1300
REF.17953



130
CM



90
CM



3-21
MM



1500
KG



30
KG

TX-MAX PROFESSIONAL MANUAL CUTTER, WITH HIGH-PERFORMANCE MULTIPOINT BREAKER.

For intensive cutting of all types of ceramic tile, ideal for porcelain tiles and extruded tiles.

Product Highlight :

- Breaker's lock and unlocking system by trigger increases performance with both thick and thin materials.
- Great efficiency of the entire system.
- 1200kg power breaker for cutting the hardest materials.
- High separation power (1,200 kg) - MASTER POWER. Operable with only one hand.




TX-1250 MAX
REF.17921

+ Included Case



125
CM



85
CM



3-21
MM



1200
KG



26
KG

TIGER MAGNET


Product Highlight :

- Fast operating system with magnet, for one hand use.
- High breaking power.
- Double guide, better VISIBILITY of the scoring line.
- Closed extruded aluminium base. Improved sturdiness.
- Solid Ø20mm steel guides. Chromed and rectified with anti-corrosion treatment for greater resistance to twisting.
- Scoring head mounted on lineal ball-bearings.
- Reinforced SOFT-GRIP handle.
- Lateral stop for repetitive cuts and 45 degrees square.
- Ø8 mm. scoring wheel (TIGER-185) and Ø22 mm scoring wheel (TIGER-1000/1200) made of tungsten carbide included.
- Interchangeable scoring wheels ranging between Ø 6mm-22mm




TIGER-1200 MAGNET CON BOLSA REF. 14983

+ Included Bag



TIGER-185 MAGNET REF. 14962



STAR-N PLUS

LIGHT & VERSATILE CUTTER

For cutting ceramic tiles.


Product Highlight :

- Mobile breaker with closed sliders for greater bending resistance.
- Aluminium support guides for more strength.
- Practical lateral stop for easier and faster cuts.
- Interchangeable scoring wheels for every material to maximize performance and cutting quality.



STAR-60-N-PLUS
REF.12979

+ Included Case



61
CM



43
CM



12
MM



4.8
KG



6.6
KG

GENIUS CUT

MANUAL CUTTERS ARE PRECISE AND VERSATILE

for cutting and laying
the ceramic tile in the most
accurate way.




85
CM



60
CM



3-15
MM



9.5
KG

SPEED N THE MOST VERSATILE CUTTER IN ITS CLASS.

For the frequent cutting of glazed stoneware and tiles and occasionally for porcelain tiles.


Product Highlight :

- Aluminium base for greater robustness. Light and easy to transport
- Reinforced construction elements. High breaking power.
- Chromed and rectified steel guides with anti-corrosion treatment. Greater durability.



SPEED-62 N
REF.14985

+ Included Case



62
CM



44
CM



5-15
MM



600
KG




7
KG



10.6
KG

SPEED-92 N
REF.14987

+ Included Case



92
CM



65
CM



5-15
MM



800
KG



11
KG



15.9
KG



SPEED MAGNET

FOR MORE DEMANDING JOBS.

For the frequent cutting of all types of ceramic tiles.

Product Highlight :

- High visibility during scoring.
- Fast operating system by magnet, operable with one hand. Greater ease and speed of cutting.
- Reinforced construction elements. High breaking power.
- Aluminium base for greater robustness, lightness and ease of transport.



SPEED-65 MAGNET

SPEED-92 MAGNET

SPEED-62 MAGNET

REF.14988

+ Included Case

62 CM	45 CM	3-15 MM	800 KG	8 KG	15.9 KG

SPEED-92 MAGNET

REF.14990

+ Included Case

92 CM	65 CM	3-15 MM	800 KG	12 KG	16.8 KG

RUBBER HAMMERS

ALLOWS TO STRIKE AT ANY ANGLE SO AS TO INSTALL THE TILE INTO ITS CORRECT POSITION




WHITE&BLACK 500 GR
REF.66946

TILE SPACERS


TILE SPACERS FOR THE CORRECT PLACEMENT OF TILES.



TILE SPACERS 1/32
(1MM) 100 UN
REF.02887



TILE SPACERS 1/16
(1,5MM) 100 UN
REF.02888



TILE SPACERS 3/32
(2MM) 100 UN
REF.02889

PRIME CUT MAGNET

LIGHT AND FUNCTIONAL

the best tools for cutting and
laying ceramic tile



PRIME CUT-65 MAGNET



PRIME CUT-85 MAGNET

PRIME CUT-65 MAGNET

REF.14956



65
CM



45
CM



3-15
MM



700
KG



8.2
KG

PRIME CUT-85 MAGNET

REF.14957



85
CM



60
CM



3-15
MM



700
KG



9.8
KG

EASY GRES DRILL BIT

FOR DRILLING OF ALL
TYPES OF CERAMIC TILES
SPECIALLY PORCELAIN TILES,
AND OTHER WALL MATERIALS



7/32" (6MM)
REF.6937

5/16" (8MM)
REF.6938

3/8" (10MM)
REF.6939

1/2" (12MM)
REF.6940

STEEL NOTCHED TROWEL

SPECIAL HIGH WEAR
RESISTANT STEEL PLATE
AND CORROSION
PROTECTION



28CM (6X6MM)
REF.25903



28CM (10X10MM)
REF.25906

CARBIDE SCORING WHEEL

are suitable for scoring, and subsequent separation of ceramic tiles of any type: tile (BIII), glazed stoneware (BIb - BIIa), rustic or extruded stoneware (AIIb - AII) and of course porcelain stoneware (BIa), with difficulties of cuts between low and medium.



▲
Ø1/4" (6MM)
REF.01945



▲
Ø5/16" (8MM)
REF.01942



▲
PLUS Ø5/16" (8MM)
REF.01959



▲
Ø13/32" (10MM)
REF.01946



▲
GOLD Ø7/8" (22MM)
REF.01944

- ☆☆☆ ALTERNATIVE USE
- ★★☆ SECOND BEST USE
- ★★★ IDEAL USE


SCORING WHEEL CHARACTERISTICS

The born UNE-EN 14411 applies to ceramic & tile classification and it is of international application. It is indicated on all tile boxes		6 MM 1/4 INCH	8 MM 5/16 INCH	10 MM 13/32 INCH	18 MM 3/4 INCH	22 MM 7/8 INCH
RUSTIC TILES	AII AIIa AIIb AIII	☆☆☆	☆☆☆	★★☆	★★★	☆☆☆
PORCELAIN	BIa	★★☆	★★★	☆☆☆	★★☆	★★☆
FLOOR TILES	BIa BIb	☆☆☆	★★☆	★★★	★★☆	★★☆
WALL TILES	BIII	★★★	★★☆	☆☆☆	☆☆☆	★★☆
TS-MAX TR-MAGNET SPEED MAGNET TF/TF-MEISTER	TS/TS-PLUS TR/TR-S SPEED PLUS PRIME CUT MAGNET	GOLD 01945	01958 / 01942	01946 01949 01970 / 01971 (BIII)	01950 01952	01961 01964
TF-MAX SPEED-N SPEED-FAST STAR MAX/STAR	SPEED POCKET RAPID PRACTIC	GOLD 01945	01958 / 01942	01946 01949		
TZ TX/TX-N	GENIUS		01959	01991 01993	01992 01994	01962 01965
TP/TP-S						18914
TIGER						01944
TI/TI-T				01975 01978	01976 01974	01977 01979
SLIM SYSTEM CUTTER						18912 / 18914

DELTA LEVEL SYSTEM KIT

Product Highlight :

- For 30x30 cm formats and more. Always double gluing.
- Ensures the flatness and regularity of the surface
- It avoids the generation of eyebrows during the laying of ceramic tiles, both in pavements and in coatings.
- Reusable Wedges



REF.02849 (1MM) REF.02848 (1.5MM) REF.02865 (2MM)





TILE LEVEL

Product Highlight :

- Ideal for laying tiles over 12x12" (30x30cm) with back-buttering.
- Allows the placement of pieces of granite and marble avoiding subsequent rectification work.
- It avoids the movement of the pieces during the setting.
- Improved surface flatness
- Reduces placement time and improves profitability.
- For mortars, facade coating mortar and tile adhesive.

REF.02992




TILE LEVEL QUICK

Product Highlight :

- It avoids the generation of eyebrows during the laying of ceramic tiles, both in pavements and in coatings.
- Compatible with tiles with a thickness between 3 and 16 mm.
- For 30x30 cm formats and more. Always double gluing.
- Guarantees the flatness and regularity of the placement surface.
- Easy use
- Removal of the system by impact. Always in the sense of the joint.

REF.02941



SLAB TRANS HEAVY DUTY LIFTING SYSTEM


TRANSPORTATION FRAME FOR THE HANDLING OF LARGE FORMAT SHEETS.

Product Highlight :

- Set of 2 reinforced aluminium retractable profiles (165 to 320 cm).
- 6 vacuum cups 20 cm for any type of surface (3 per profile).
- Equipped with a set of perpendicular crossbars for greater stability.
- Additionally, the SLAB TRANS HEAVY DUTY can have additional suction cups (ref 18827) to add extra security to work with the original ones supplied.



REF.18936



SUCTION CUP

TO FACILITATE THE MANAGEMENT OF CERAMICS AND OTHER SMOOTH MATERIALS

Features :

- Body made of highly resistant aluminium. With ergonomic handle for greater comfort.
- Maximum load capacity: 40 kg (Single)
- Maximum load capacity: 80 kg (Double)
- Maximum load capacity: 100 kg (Triple)



SINGLE SUCTION CUP
REF.65900



DOUBLE SUCTION CUP
REF.66900



TRIPLE SUCTION CUP
REF.66904

GLUE GUN APPLICATOR

Features :


- Glue applicator 55 W. High performance.
- 100~240V/50-60Hz
- Compatible with bars of Ø11 - Ø12mm
- Universal glue.

GLUE GUN APPLICATOR
REF.65940




175 MM HOT GLUE (25U.)
REF.65946


SYMBOLGY



Cutting
Lenght




Diagonal
Cutting Lenght



Cutting
Height



Separator
Weight



Net Weight
Without Packaging



Weight With
Carrying Case



RUBITOOLS.ID

PT NARA CITRA INDONESIA

Jl. Danau Sunter Utara Blok A36A No.1
Jakarta Utara - Indonesia

Telp. : 021 22656430 (hunting)

E-mail : Marketing.RubiIndonesia@gmail.com

GERMANS BOADA S.A.

Pol. Can Rosés,
Avda. Olímpades 89-91, P.O.BOX 14
08191 RUBI (Barcelona) SPAIN
T. 34 936 80 65 00
F. 34 936 80 65 01
gboada@rubi.com

GERMANS BOADA S.A. MADRID

Marie Curie, 7, edif. B, bajos 7
28521 Rivas Vaciamadrid - SPAIN
T. 34 914 99 48 63
F. 34 914 99 48 70
gboada.madrid@rubi.com

RUBI FRANCE S.A.R.L.

Immeuble Oslo
19 Avenue de Norvège
91953 LES ULIS - FRANCE
T. 33 1 69 18 17 85
F. 33 1 69 18 17 89
rubifrance@rubi.com

RUBI CHILE

GERMANS BOADA S.A.
Los Militares # 5620, Oficina 1503
Los Condes (Santiago de Chile) CHILE
T. (56-21) 2 933 74 92
rubichile@rubi.com

RUBI CANADA

T. 1866 872 7824
F. 1305 715 9898
rubicanada@rubi.com

CN 苏州瑞比机电科技有限公司
SUZHOU RUBI TECHNOLOGIES Co.,Ltd
苏州工业园区唯新路18号
B Block, No.18, Weixin Road,
Suzhou Industrial Park, 215122 Suzhou, China
电话: 86 (0) 512 6662 6100
传真: 86 (0) 512 6662 6101
rubitechnologies@rubi.com

PT **LUSARUBI Lda.**
Estrada de Coselhas,
Lote 21/22 R/C Dto.
3000-125 COIMBRA - PORTUGAL
T. 351 239 492 430
F. 351 239 492 431
lusarubi@rubi.com

MX **GERMANS BOADA MEXICO SA DE CV.**
Av. Industria Moderna #2001 Bodega 82,
El Cerrito, CP 76240,
El marqués, QRO
T: +52 55 5592 4907
T: +52 55 5592 5386
mexico@rubi.com

RU **RUBI ROSSIA**
mob. +7 903 153 30 46
тел.: +34 936806500
факс: +34 936806501
rubirossia@rubi.com

IT **ITALIA**
T. 800 788278
F. 800 788279
commerciale@rubi.com

MA **RUBI MAROC**
Indusmat S.A.R.L.
1075, Bd. Mohamed VI Rés. Fath Zhar
MAGASIN: 103 - Casablanca
Maroc - Morocco
T. +212 22.37.80.22
F. +212 22.97.80.49
rubimaroc@rubi.com

DE **RUBI DEUTSCHLAND GmbH**
Krahnendonk 89
41066 Mönchengladbach
DEUTSCHLAND
T. 49 (0) 2161 478 12 60
F. 49 (0) 2161 478 12 69
rubideutschland@rubi.com

NL **RUBI BENELUX BV.**
Weidehek, 70
4824 AS BREDA
NEDERLAND
T. 31 (0) 76 57 29 200
F. 31 (0) 76 57 20 190
rubibenelux@rubi.com

IN **RUBI INDIA**
Andheri Kurla Road, Andheri (East)
Mumbai-400059, India.
T. +91 22 67587457 60
rubivestindia@rubi.com

CO **RUBI COLOMBIA**
Cra. 11a #94-56, Oficina 501
Bogotá D.C. COLOMBIA
T. (+ 571) 749 85 08

GB **RUBI UK LTD.**
Units 16 & 17, Easter Park,
Ferry Lane
Rainham, Essex
RM13 9BP - UNITED KINGDOM
P. 44 (0) 1708559609
F. 44 (0) 1708553813
rubiumk@rubi.com

TR **RUBI TÜRKİYE**
Demir Makine Ticaret Ve Sanayi Ltd. Şti.
Emekyemez Mah., Buğulu Sok. No:9a Karaköy
İstanbul - Türkiye - Turkey
T. (212) 237-2224
F. (212) 237-2252
rubiturkiye@rubi.com

PL **RUBI POLSKA Sp. z o.o.**
ul. Karzunkowska 43
02-871 Warszawa
POLSKA
T. +48 (0) 226 44 51 61
F. +48 (0) 226 44 58 45
rubipolska@rubi.com

US **RUBI TOOLS USA Inc.**
10813 NW 30th Street, Suite 110
DORAL, FLORIDA 33172 USA
P. 1 305 715 9892
F. 1 305 715 9898
rubitools.usa@rubi.com

